

Notices

NO WARRANTY

THIS CARNEGIE MELLON UNIVERSITY AND SOFTWARE ENGINEERING INSTITUTE MATERIAL IS FURNISHED ON AN "AS-IS" BASIS. CARNEGIE MELLON UNIVERSITY MAKES NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, AS TO ANY MATTER INCLUDING, BUT NOT LIMITED TO, WARRANTY OF FITNESS FOR PURPOSE OR MERCHANTABILITY, EXCLUSIVITY, OR RESULTS OBTAINED FROM USE OF THE MATERIAL. CARNEGIE MELLON UNIVERSITY DOES NOT MAKE ANY WARRANTY OF ANY KIND WITH RESPECT TO FREEDOM FROM PATENT, TRADEMARK, OR COPYRIGHT INFRINGEMENT.

Use of any trademarks in this presentation is not intended in any way to infringe on the rights of the trademark holder.

This Presentation may be reproduced in its entirety, without modification, and freely distributed in written or electronic form without requesting formal permission. Permission is required for any other use. Requests for permission should be directed to the Software Engineering Institute at permission@sei.cmu.edu.

This work was created in the performance of Federal Government Contract Number FA8721-05-C-0003 with Carnegie Mellon University for the operation of the Software Engineering Institute, a federally funded research and development center. The Government of the United States has a royalty-free governmentpurpose license to use, duplicate, or disclose the work, in whole or in part and in any manner, and to have or permit others to do so, for government purposes pursuant to the copyright license under the clause at 252.227-7013.





Software Engineering Institute | CarnegieMellon

© 2010 Carnegie Mellon University



What is CERT?


- •Located in the Software Engineering Institute (SEI)
 - A Federally Funded Research & Development Center (FFRDC)
 - Operated by Carnegie Mellon University (Pittsburgh, PA)
 - Separate from US-CERT
- •Established in 1988 by the US Department of Defense in response to the Morris worm
- ·Main areas of work
 - Software Assurance
 - · Secure Systems
 - · Organizational Security
 - · Coordinated Response
 - · Education and Training



of Complex Systems

© 2010 Carnegie Mellon University

Driving the Future









Operational resilience

Resilience: The physical property of a material when it can return to its original shape or position after deformation that does not exceed its elastic limit [wordnet.princeton.edu]

Operational resilience: The emergent property of an organization that can continue to carry out its mission after disruption that does not exceed its *operational* limit [CERT-RMM]







Operational risk & resilience

Security and business continuity are not end-states; they are continuous processes

Effective operational risk management requires these activities to work toward the same goals

Operational resilience emerges from effective operational risk management



Actions of people



Systems & technology



Failed internal



External events






© 2010 Carnegie Mellon University



What is CERT®-RMM?

CERT-RMM is a capability model for managing and improving operational resilience.

- · Guides implementation and management of operational resilience activities
- Converges key operational risk management activities: security, BC/DR, and IT operations
- Defines maturity through capability levels (like CMMI)
- Improves confidence in how an organization responds in times of operational stress



Imperatives for building CERT-RMM











Increasingly complex operational environments; traditional approaches failing

Siloed nature of operational risk activities; a lack of convergence

Lack of common language or taxonomy

Overreliance on technical approaches


Lack of means to measure organizational capability


Inability to confidently predict outcomes, behaviors, and performance under times of stress






















Engin	eering	Opera	ations Management
ADM	Asset Definition and Management	AM	Access Management
CTRL	Controls Management	EC	Environmental Control
RRD	Resilience Requirements Development	EXD	External Dependencies
RRM	Resilience Requirements Management	ID	Identity Management
RTSE	Resilient Technical Solution	IMC	Incident Management & Control
	Engineering	KIM	Knowledge & Information Management
sc	Service Continuity	РМ	People Management
Enter	orise Management	тм	Technology Management
COMM	Communications	VAR	Vulnerability Analysis & Resolution
COMP	Compliance		
EF	Enterprise Focus	Proce	ess Management
FRM	Financial Resource Management	MA	Measurement and Analysis
HRM	Human Resource Management	MON	Monitoring
ОТА	Organizational Training & Awareness	OPD	Organizational Process Definition
RISK	Risk Management	OPF	Organizational Process Focus







Where to start

To use the model, start by selecting any number of process areas (or even parts of process areas) that align with your objectives.

Starting with 1 process area or a few specific goals is completely acceptable.

There is no requirement to use the entire model—use whatever parts of the model make sense for your situation.



© 2010 Carnegie Mellon University







Demonstrate that the security program has measurable business value

Speak to decision makers in their language

Answer key questions

Demonstrate that security objectives are (and continue to be) met

Justify new investments; improve

Help predict the future






Scope and Terminology

Measure vs. metric

- Measure (noun): the extent, dimensions, quantity, etc., of something, ascertained esp. by comparison with a standard: to take the measure of a thing; any standard of comparison, estimation, or judgment.
- Metric: pertaining to the meter or metric system; a non-negative real valued function; a system or standard of measurement; a criterion or set of criteria stated in quantifiable terms

For our efforts, metric = number; measure = number with analysis and meaning, in context. That said, our community often uses metric to mean both.





What Should I Measure?

Determine business objectives and key questions

Define the information that is needed to answer the question

- · What information do you currently have?
- · What additional information do you need to collect?


Qualify and quantify the information in the form of measures

Analyze the measures and report out

Quantify the value of each measure (cost/benefit)

Refine and retire measures as you go








Derive Strategic, Systemic Security Measures

Start with high-level objectives. For example, the security effort:

- 1.derives its authority from and directly traces to organizational objectives
- 2.satisfies security requirements (*) that are assigned to high-value services and their associated assets (+)
- 3.ensures that controls for protecting and sustaining highvalue services and their associated assets operate as intended

[What do I measure to determine if these are met?]



High-Level Security Objectives - 2

For example, the security effort:

- 4.manages operational risks to high-value assets that could adversely affect the operation and delivery of highvalue services
- 5.ensures the continuity of essential operations of highvalue services and their associated assets in the face of a disruptive event

[What do I measure to determine if these are met?]





Definitions - 1

Service: A set of activities that the organization carries out in the performance of a duty or in the production of a product.

High-value service: Service on which the success of the organization's mission depends.

Asset: Something of value to the organization; typically, people, information, technology, and facilities that high-value services rely on.

High-value asset: People, information, technology, or facilities on whose availability, confidentiality, integrity, and productivity a high-value service is dependent.



CERT Software Engineering Institute CarnegieMellon

Definitions - 2

Protection strategy: The strategy, related controls, and activities necessary to protect an asset from undesired harm or disruptive events. The protection strategy is relative to the conditions to which the asset is subjected.

Sustainment strategy: The strategy, related controls, and activities necessary to sustain an asset (maintain in a desired operational state) when subjected to undesired harm or disruptive events. The protection strategy is relative to the consequences to which the asset is subjected.

Controls: The methods, policies, and procedures—manual or automated—that are adopted by an organization to ensure the safeguarding of assets, the accuracy and reliability of management information and financial records, the promotion of administrative efficiency, and adherence to standards.



Software Engineering Institute | Carnegie Mellon





Who, What, Where, When, Why, How

Who is the measure for? Who are the stakeholders? Who collects the measurement data?

What is being measured?


Where is the data/information stored?

When/how frequently are the measures collected?

Why is the measure important (vs. others)?

How is the data collected? How is the measure presented? How is the measure used?







Measurement Types



Implementation

· Is this process/activity/practice being performed?


Effectiveness

 How good is the work product or outcome of the process/activity/practice? Does it achieve the intended result?

Process performance

 Is the process performing as expected? Is it efficient? Can it be planned? Is it predictive? Is it in control?





© 2010 Carnegie Mellon University

MON – Monitoring

Collect, record, and distribute information about the operational resilience management process to the organization on a timely basis





Software Engineering Institute | Carnegie Mellon



MON: Aspects of monitoring

Implicit in many CERT-RMM processes where information is needed to keep control over elements such as

- Inventories
- · Communities and environments
- · Artifacts and work products

The Monitoring PA elevates this activity to the enterprise for the good of all processes that need information

The monitoring process is instantiated in a program that seeks to look across operational resilience processes and provide support.



MON: Monitoring infrastructure

Supports the satisfaction of monitoring requirements and related activities

Typically a data collection and aggregation-intensive activity

May be spread across the organization and make use of the organization's installed base of technology


Must support data quality requirements—through standards and parameters that address


- · Acceptable formats and media
- Validation procedures
- Time parameters for collection of data (and "freshness")
- Retention periods
- Regulations














MA: Overlap with MON

Primary tenet of MA is the collection of data for improving a process

Some practices in MON can satisfy practices in MA—for example, MA covers data collection and storage procedures, also important in MON.

MA is focused on the improvement process, **not** the collection of data for use in other processes—unless the data is being used for measurement and process improvement.



MA: Measurement objectives -1

Document the purposes for which measurement and analysis are done

Specify the kinds of actions that may be taken on the results of data analyses

May be identified at the operational unit level or the enterprise level

Sources can include

- · Monitoring of resilience management process performance
- · Risk conditions
- Compliance obligations
- · Industry benchmarks





MA: Measurement objectives -2


May include

- "Reduce the total number of controls under management"
- "Maintain or improve supplier/customer relationships"
- "Improve uptime statistics"
- · "Improve risk identification"

Once objectives are set, precise and quantifiable measures are established—can be base or derived

Example of base: Number of critical assets by category

Example of derived: Percentage of critical technology assets for which a risk analysis was conducted in last 12 months









Resilience measurement & analysis



Area of research growing out of CERT-RMM development

Focuses on the development of adequate measures to determine transformation of operational resilience management system

Focuses on performance measurement how well are we doing?

Includes both qualitative and quantitative measurements

Measurement users group (RMM MUG) forming—Fall 2010 opportunity to join a measurement cohort and share



CERT | Software Engineering Institute | Carnegie Mellon

Download from www.cert.org/resilience



Technical Report

- Describes model structure and use
- •Includes process area outlines
- •259 pages



Model v1.0

- Includes all process areas in full
- •863 pages



Process areas

- •Each process area is available separately
- •~20-40 pages each




© 2010 Carnegie Mellon University






































RTSE – Resilient Technical Solution Engineering

Ensure that software and systems are developed to satisfy their resilience requirements









RTSE goals

Goal	Goal Title
RTSE:SG1	Establish guidelines for resilient technical solution development
RTSE:SG2	Develop resilient technical solution development plans
RTSE:SG3	Execute the plan











RTSE: Building in vs. bolting on


Requires organizational intervention in the development process

Extends resilience requirements to assets that are to be developed, not just existing assets

Creates requirements for qualities such as survivability, reliability, availability, and sustainability

Attempts to reduce the level of operational risk encountered by systems and software in production that is due to poor design and development practices

Extends across the entire software and systems lifecycle



RTSE: Designing and testing for resilience

Incorporates resilience-focused practices into the design and testing phases of development

Includes

- Performing resilience controls planning and design
- · Incorporating resilience controls into architecture design
- · Designing resilience-specific architecture
- · Adopting secure coding practices
- Processes for detecting and removing defects
- · Designing testing criteria to attest to asset resilience
- Testing resilience controls
- Designing service continuity plans during the development process







RTSE influences

- BSIMM2 (www.bsi-mm.com)
- Open Web Applications Security Project (OWASP) Software Assurance Maturity Model (www.owasp.org)
- Microsoft's Security Development Life Cycle, v4.1 (www.microsoft.com/security/sdl/)
- DHS Security Assurance for CMMI Process Reference Model (buildsecurityin.uscert.gov/swa/procwg.html)

CERT | Software Engineering Institute | Carnegie Mellon

EXD – External Dependencies Management

Establish and manage an appropriate level of controls to ensure the resilience of services and assets that are dependent on the actions of external entities











Goal	Goal Title
XD:SG1	Identify and prioritize external dependencies
EXD:SG2	Manage risks due to external dependencies
EXD:SG3	Establish formal relationships
EXD:SG4	Manage external entity performance

CERT | Software Engineering Institute | Carnegie Mellon







EXD: Requirements

Requirements must be established for external dependencies to protect and sustain the services that depend on the external party


- Enterprise requirements apply to all external dependencies or to a distinct classes of external dependencies
- Specific resilience requirements apply uniquely to an external dependency and often take the form of service level agreements


Requirements should inform the selection, negotiation of a formal agreement, and the monitoring of an external party

Unmet requirements should be treated as risks



















RTSE – Resilient Technical Solution Engineering

Ensure that software and systems are developed to satisfy their resilience requirements







CERT | Software Engineering Institute | Carnegie Mellon

RTSE goals

Goal	Goal Title
RTSE:SG1	Establish guidelines for resilient technical solution development
RTSE:SG2	Develop resilient technical solution development plans
RTSE:SG3	Execute the plan









RTSE: Building in vs. bolting on

Requires organizational intervention in the development process

Extends resilience requirements to assets that are to be developed, not just existing assets

Creates requirements for qualities such as survivability, reliability, availability, and sustainability

Attempts to reduce the level of operational risk encountered by systems and software in production that is due to poor design and development practices

Extends across the entire software and systems lifecycle



RTSE: Designing and testing for resilience

Incorporates resilience-focused practices into the design and testing phases of development

Includes

- Performing resilience controls planning and design
- · Incorporating resilience controls into architecture design
- · Designing resilience-specific architecture
- · Adopting secure coding practices
- Processes for detecting and removing defects
- · Designing testing criteria to attest to asset resilience
- Testing resilience controls
- Designing service continuity plans during the development process








RTSE influences

- BSIMM2 (www.bsi-mm.com)
- Open Web Applications Security Project (OWASP) Software Assurance Maturity Model (www.owasp.org)
- Microsoft's Security Development Life Cycle, v4.1 (www.microsoft.com/security/sdl/)
- DHS Security Assurance for CMMI Process Reference Model (buildsecurityin.uscert.gov/swa/procwg.html)

CERT | Software Engineering Institute | Carnegie Mellon

EXD – External Dependencies Management


Establish and manage an appropriate level of controls to ensure the resilience of services and assets that are dependent on the actions of external entities








Goal	Goal Title
XD:SG1	Identify and prioritize external dependencies
EXD:SG2	Manage risks due to external dependencies
EXD:SG3	Establish formal relationships
EXD:SG4	Manage external entity performance





CERT | Software Engineering Institute | Carnegie Mellon



EXD: Requirements

Requirements must be established for external dependencies to protect and sustain the services that depend on the external party

- Enterprise requirements apply to all external dependencies or to a distinct classes of external dependencies
- Specific resilience requirements apply uniquely to an external dependency and often take the form of service level agreements

Requirements should inform the selection, negotiation of a formal agreement, and the monitoring of an external party

Unmet requirements should be treated as risks



